

GUJARAT TECHNOLOGICAL UNIVERSITY**MCA Integrated – SEMESTER – 3 • EXAMINATION – SUMMER 2018****Subject Code: 4430603****Date: 23-May-2018****Subject Name: Statistical Methods****Time: 02.30 pm to 5.00 pm****Total Marks: 70****Instructions:**

1. Attempt all questions.
2. Make suitable assumptions wherever necessary.
3. Figures to the right indicate full marks.

Q.1 (a) Do as directed : 07

- (i) Define : Degree of freedom
- (ii) If A and B are mutually exclusive events then what is the value of $P(A \cap B)$?
- (iii) List out applications of statistics in business and economics.
- (iv) Arithmetic operators are appropriate for _____ data.
(Quantitative/ Qualitative)
- (v) Define : Type-I error and Type-II error
- (vi) What is ogive ?
- (vii) Write full form of : ANOVA

(b) Construct Stem & Leaf Display for following data. 07

86,77,91,60,55,76,92,47,88,67,23,59,72,75,83,77,68,82,97,89,81,75,74,39,67,79,83,
70,78,91,68,49,56,94,81

Q.2 (a) Meclia Matrix Collected data showing most popular website browsing at home and work. 07

Websites	Unique Visitors (X)
About.com	5538
Alvita.com	7391
Amazon.com	7986
Ag.com	8917
Aol.com	23863
Ebay.com	6786
Excite.com	8296
Mountan.com	10479

- (i) Compute Mean and Median
- (ii) Compute First Quartile and Third Quartile
- (iii) Compute 85th Percentile

(b) A bowler's score for six games were x : 182, 168, 184, 190, 170, and 174. Using these data as a sample. Compute the following data. 07

- (i) Variance
- (ii) Standard Deviation
- (iii) Coefficient of Variance

OR

- (b) Consider the following data : 07
 $X : 5 \quad 9 \quad 16 \quad 17 \quad 18$

Find :

- (i) Mean absolute deviation (MAD)
- (ii) Sample variance
- (iii) Sample standard deviation

- Q.3 (a)** Given $P(A) = 0.10$, $P(B) = 0.12$, $P(C) = 0.21$, $P(A \cap C) = 0.05$ & $P(B \cap C) = 0.03$ then solve the following : 07

- (i) $P(A \cup C)$
- (ii) $P(B \cup C)$
- (iii) If A and B are mutually exclusive events then find $P(A \cup B)$

- (b) Find following from binomial formula: 07

- (i) If $n=4$, $p=0.10$ then find $P(x=3)$
- (ii) If $n=20$, $p=0.06$ then find $P(x < 3)$
- (iii) If $n=20$, $p=0.06$ then find $P(x = \text{greater than or equal } 3)$

OR

- Q.3 (a)** Bank customers arrive randomly on weekday afternoon at average rate (λ) of 3.2 customers in every 4 minute. (Use poisson distribution) 07

- (i) What is the probability of having exactly 8 customers in 4 minute?
- (ii) What is the probability of having greater than 9 but less than 12 customers in 4 minutes ?
- (iii) What is the probability of having exactly 10 customers in 8 minutes?

- (b) The Average (mean) stock price for companies making up is 494 and Standard deviation is 100 then Assume the stock prices are normally distributed. 07

- (i) What is the probability a company will have a stock price exactly 700 ?
- (ii) What is the probability a company will have a stock price greater than 700 ?
- (iii) What is the probability a company will have a stock price between 300 and 600 ?

- Q.4 (a)** A company rate before and after viewing inspection report of different 7 years is given in following table. Consider 0.05 level significance & Check following hypothesis : 07

Null hypothesis : $D = 0$

Alternative hypothesis : $D < 0$

Before	After
32	39
11	15
21	35
17	13
30	41
38	39
14	22

- (b) A random sample of 112 item is taken, resulting in a sample mean 78695 and population standard deviation is 14530. Assume population mean (μ) is 74914 and consider 5 % significance level . Check following hypothesis : 07

Null hypothesis : $\mu = 74914$

Alternative hypothesis : $\mu \neq 74914$

OR

Q.4 (a) Use the following Sample information & Construct 95% confidence interval for difference in mean of two population. **07**

	Sample-1	Sample-2
Sample size :	50	50
Sample mean :	21.45	24.60
Population standard deviation :	3.46	2.99

(b) A random sample of 20 item is taken, resulting in a sample mean 25.51 and sample standard deviation is 2.1933 .Assume population mean (μ) is 25 and consider alpha 0.05 significance level .Use t-test to check following hypothesis :

Null hypothesis : $\mu = 25$

Alternative hypothesis : $\mu \neq 25$

Q.5 (a) Given are Five observation for two variable X and Y. **07**

X	1	2	3	4	5
Y	3	7	5	11	14

(i) Calculate Regression Equation by using b_0 and b_1

(ii) Use estimated Regression to predict value of Y when $X = 4$

(b) Compute One-Way ANOVA table for following data & find value of F. **07**

X1	X2	X3
29	32	25
27	33	24
30	31	24
27	34	25
28	30	26

OR

Q.5 (a) Consider following data. **07**

X	2	4	5	7	8
Y	2	3	2	6	4

Assume regression equation of these data is : $\hat{Y} = 2.65 + (0.25) X$

(i) Compute the SSE, SST & SSR

(ii) Compute the Coefficient of Determination (r^2)

(b) Construct the five number summary for following data & Draw Box Plot. **07**

87	80	73	69	82	72
85	79	73	68	76	65
84	79	73	68	82	75
84	77	72	65	64	71
81	71	74	63	81	74
73	69	62	81	62	70
